

# Omnicraft Oil

Discover the Omnicraft  
range of Engine lubricants





## THE OMNICRAFT RANGE

### 5W-40 C3



#### Applications

Omicraft 5W-40 C3 is designed for use in automotive Petrol or Diesel Engines where the manufacturer recommends ACEA C3 or earlier specification.

#### Product Performance & Specifications

ACEA C3; Suitable for use in vehicles requiring Fiat 9.55535-S2, MB 229.51, Opel OV 040 1547 - D40, Renault RN0700/RN0710, VW 505 00/505 01.

### 0W-30 C2



#### Applications

Omicraft 0W-30 C2 is the next generation of Engine Oil designed for the latest Petrol and Diesel Engines.

#### Product Performance & Specifications

ACEA C2; Suitable for use in vehicles requiring PSA B71 2312.

### 10W-40



#### Applications

Omicraft 10W-40 is designed for use in automotive Petrol or Diesel Engines where the manufacturer recommends ACEA A3/B4 or earlier specification.

#### Product Performance & Specifications

ACEA A3/B4; Suitable for use in vehicles requiring VW 501 01/505 00.

## Ask for Omnicraft

Quality, competitively priced All Makes Oil, available in 1, 5, 20 and 208 Litres.





## 5W-30



### Applications

Omnicaft 5W-30 is designed for use in automotive Petrol or Diesel Engines where the manufacturer recommends ACEA C3 or earlier specification.

### Product Performance & Specifications

ACEA C3; Suitable for use in vehicles requiring BMW Longlife-04, MB 229.31/229.51.

## 5W-30 C2



### Applications

Omnicaft 5W-30 C2 is designed for use in automotive Petrol or Diesel Engines where the manufacturer recommends ACEA C2 or earlier specification.

### Product Performance & Specifications

ACEA C2; Suitable for use in vehicles requiring PSA B71 2290.

## 5W-30 C4



### Applications

Omnicaft 5W-30 C4 is designed for use in automotive Petrol or Diesel Engines where the manufacturer recommends ACEA C4 or earlier specification.

### Product Performance & Specifications

ACEA C4; Suitable for use in vehicles requiring MB 226.51/229.51, Renault RN0720.

## 5W-30 C3



### Applications

Omnicaft 5W-30 C3 is designed for use in automotive Petrol or Diesel Engines where the manufacturer recommends ACEA C3 or earlier specification.

### Product Performance & Specifications

ACEA C3; Suitable for use in vehicles requiring MB 229.51, VW 504 00/507 00.

## 5W-40



### Applications

Omnicaft 5W-40 is designed for use in automotive Petrol or Diesel Engines where the manufacturer recommends ACEA C3 or earlier specification.

### Product Performance & Specifications

ACEA C3; Suitable for use in vehicles requiring BMW Longlife-04, Fiat 9.55535-S2, MB 229.31/229.51.



**Facilitating optimum Engine performance and extended component life by virtue of fast and effective lubrication across a wide temperature range.**

- Advanced protection under a variety of driving conditions and temperatures
- Very good Engine cleanliness
- Fast lubrication at start-up and during warm-up
- Reduced Oil consumption
- Flexible drain interval capability where prescribed by the manufacture

**Castrol and Motorcraft Oil also available. Ask your PartsPlus Centre for details.**



## Order Oil on the PartsPlus App!

The App also features a range of exciting features, including:

- Online Order Form
- Live Chat

Plus much more!

**Scan to download**









**For information on our extensive OmnicraftPlus range of Parts for many more vehicles, visit [PartsPlusUK.com](http://PartsPlusUK.com)**

the answer is  
**yes**



**Find out more**  
**Ask your PartsPlus Centre**

**Terms and Conditions:** For more information, please contact your local PartsPlus Centre. Images are for illustration purposes only. PartsPlus is an unlimited liability company registered in England and Wales: No.3853720, Registered Office: Arterial Road, Laindon, Essex, England, SS15 6EE.

**Follow us**

