

available from
PartsPlus

WHATS INSIDE?

VISION 
WIRELESS CHARGING

Ace HOSE, 'O' & CV BOOT CLIPS

ERGTOOLS VDE SOCKET SETS

VEHICLE HEALTH CHECK BOARD & TOOLS

ECO ABSORBENTS

WHATS INSIDE?

VISION LIGHTING RANGE

ABRACS BODYSHOP

HYCOTE PAINTS & PRIMERS
THE PERFECT FINISH

TYRE CARE RANGE

CV BOOT KITS & TOOLS

 WINTER FOCUS PRODUCTS

BONDLOC ADHESIVES

EV TOOLS & SAFETY EQUIPMENT

WINTER FOCUS



WINTER PACKS
DE-ICER
SCREENWASH
ICE SCRAPERS
SNOW SHOVELS
THERMAL CLOTHING
LIGHTING
BATTERIES

Winter Packs - with gloves or pen light

- 750 ml Trigger spray de-icer.
- 1 Ltr Screenwash.
- Ice scraper with Squeegee.
- Available with Pen Light or Thermal Gloves

110705
comes with
gloves

110700
comes with
penlight



Part No.	Qty	Type	Contents
777099	1	Standard	750ml De-icer, 1 Ltr Screenwash & Ice Scraper
110700	1	With Torch	750 ml De-icer, 1 Ltr Screenwash, Ice Scraper & Pen Light
110705	1	With Gloves	750 ml De-icer, 1 Ltr Screenwash, Ice Scraper & Gloves

FIXT De-Icer

- 400ml ml Aerosol De-icer
- 1 ltr screenwash
- Ice scraper with squeegee



Part No.	Qty
778098	1

De-Icer Trigger Spray

- Easy trigger action.
- Powerful formulation quickly removes frost & ice.
- Suitable for windscreens & de-icing locks



Part No.	Qty	Size
865470	12	500 ml Bottles
865498	12	750 ml Bottles

FIXT De-Icer

100% active blend of isopropyl alcohol & glycol. It is non-toxic, safe to use & effective to temperatures of -9°C

- Rapidly removes ice deposits from screens & door locks.
- Powerful jet nozzle.
- Will not damage paintwork, glass & seals.
- Prevents refreezing



Part No.	Qty	Size
FX081201	6	400 ml Aerosols

Reflective Jacket

Two Tone
Yellow/Zip front
Class 3



Part No.	Qty	Size
895433	1	Extra Large
895432	1	Large
895431	1	Medium

Ice Scrapers



Part No.	Qty	Type
895194	1	With squeegee
895624	1	Heav Duty

Snow Shovel

- Large size



Part No.	Qty
895715	1

Hand Shovels - Metal With Wooden Handles

- Large size



Part No.	Qty
895174	2

Cleaning Cloth

- Stockinette roll. Coloured



Part No.	Qty	Colour	Type
896672	1	Multi-coloured	2 kg
896670	1	White	2 kg

General Use Sweeping Brush Heads & Handle

- 895168: Brush head - Soft coco bristles.
- 895171: 4 Ft Broom handle



Part No.	Qty	Width/Length	Hole Size
895168	2 Heads	300 mm (12")	15/16"
895171	5	1.22 m (4 ft)	15/16"

Heavy Duty Sweeping Broom Head & Handle

- 895452: HD Brush head - Soft coco bristles.
- 895453: HD 5 ft Sweeping brush handles



Part No.	Qty	Width/Length	Hole Size
895452	1	610 mm (24")	1 1/8"
895453	3	1.52 m (5 ft)	1 1/8"

Broom Head - Stiff PVC & Handle

- 895660 & 895661: Brush Heads - Brown bristles.
- 895453: HD 5 ft Sweeping brush handles



Part No.	Qty	Width/Length	Hole Size
895660	1	400 mm (16")	1 1/8"
895661	1	630 mm (25")	1 1/8"
895453	3	1.52 m (5 ft)	1 1/8"

Thermal T-Shirt

- Black



Part No.	Qty	Size	Type
895980	1	Medium	Short sleeved
895981	1	Large	Short sleeved
895982	1	Extra Large	Short sleeved
895985	1	Medium	Long sleeved
895986	1	Large	Long sleeved
895987	1	Extra Large	Long sleeved

Thermal Long Johns

- Brushed powder black polyester/cotton



Part No.	Qty	Size
895990	1	Medium
895991	1	Large
895992	1	Extra Large

Thinsulate Hat

- Beanie style with thinsulate lining for extra warmth.
- One size only



Part No.	Qty
895875	1

Thermal Gloves

- Coral gaps in fibre structure retains heat and makes it lighter.
- One size



Part No.	Qty
895879	1

Thermal Socks

- Thermal knitted sock. Black



Part No.	Qty
895876	12 Pairs

WINTER FOCUS - LIGHTING

Long Distance Focusing Torch

- 300 lumens, 352m beam.
- Run time 7 hours on full beam.
- Pure beam focusing system with slide focus which offers a high, medium and low beam.
- Water resistant - IP54.
- Supplied with - lanyard, belt pouch, 2 x Li-on battery cartridges (7 hours each), USB charger, 2 x 360 degree hands-free holders, one for pockets belts etc & the other wall mountable.
- Also supplied with 4 x AAA alkaline batteries (to be used as back up/spare)



Part No.	Qty
275496	1

Pure Beam Focusing Torch

- 400 lumens, 156 meter beam length.
- Run time 2 hours 15 minutes.
- Pure beam focusing pocket light.
- Water resistant - IP54.
- High & low (Flood & spot) slide beam focus.
- Built in USB charger. Comes with ZITHION rechargeable battery & USB charging cable



Part No.	Qty
275497	1

Inspection Beam Torch


- Beam length 21 meters.
- Run time 11 hours.
- Aluminum lightweight torch with steel pocket clip.
- Water resistant - IP54.
- Bright white beam which cuts a clean, consistent light from edge to edge to evenly illuminate work spaces.
- Supplied with batteries - takes 2 AAA



Part No.	Qty
275493	1

Inspection Penlight

- Beam length 20 meters.
- Run time 3 hours.
- Aluminium lightweight torch with steel pocket clip comes in a sleek stainless steel colour.
- Water resistant - IP54.
- Bright white beam which cuts a clean, consistent light from edge to edge to evenly illuminate work spaces.
- Comes with the COAST Pro-Flex charging cap which makes recharging as easy and intuitive as replacing the cap on a pen.



Part No.	Qty
275494	1

COB Cliplight

- 80 lumens, 13 meter beam length.
- Run time 3 hours 45 minutes.
- Can be worn as a cap light, pocket light plus it has a magnetized clip.
- Water resistant - IP54.
- Supplied with batteries - takes 2 AAA.



Part No.	Qty
275495	1

Dual LED Multi-Tool

- Dual LED multi tool.
- Comes with 14 tools & 2 LED lights.
- Spring loaded pliers along with built-in LED lights which help illuminate work surfaces.
- Stainless steel handle.
- All implements easily accessible, jaw does not need to be opened.
- Supplied with 2 x CR1616 coin cell batteries.



Part No.	Qty
275498	1

P7R Torch & Powerbank

Torch:

- Lumens: High: 1000, Standard: 250, Low: 20
- Light Functions: Power, low power, mid power
- Beam Distance: High: 210m, Standard: 150m, Low: 40m
- Burn Time: High: 2h, Standard: 5h, Low: 40h
- IPX Rating: 4 - protection against water splashing from any direction
- Focus System: Advanced Focus System
- Floating Charge system
- Charge Time: Up to 5 hours
- In The Box: P7R LED torch, 1 x rechargeable battery set, Floating Charge system, wrist lanyard, mounting bracket, pouch, USB cable and free powerbank



Part No.	Qty
778280	1 set

P7 Torch & Memory Stick

Torch:

- Lumens: Power: 450, Mid Power: 250, Low Power: 40
- Light Functions: Power, mid power, low power
- Beam Distance: Boost: 300m, Power: 220m, Low: 100m
- Burn Time: Boost: 1h, Power: 2h, Low: 25h
- IPX Rating: 4 - protection against water splashing from any direction
- Focus System: Advanced Focus System with speed focus
- Battery: 4 x AAA batteries
- In The Box: Led Lenser P7, 1 x battery set, nylon pouch, wrist strap and free 16GB USB memory stick



Part No.	Qty
778282	1 set

iH8R Headlight & Powerbank

- Lumens: Max: 600, Min: 10
- Light Functions: Power, mid power, low power
- Beam Distance (m): Max: 150, Min: 20
- Burn Time: Max: 150, Min: 10
- Focus System: Advanced Focus System with speed focus
- Additional Features: Transportation lock, rear light
- Charging Time (mins): 360
- IPX Rating: 4
- In The Box: 1 x iH8R head torch, 1 x set of rechargeable batteries, helmet mount kit, pouch, USB charge cable and free powerbank



Part No.	Qty
778284	1 set

iH8R Headlight & i4 Flashlight

- Lumens: Max: 600, Min: 10
- Light Functions: Power, mid power, low power
- Beam Distance (m): Max: 150, Min: 20
- Burn Time: Max: 150, Min: 10
- Focus System: Advanced Focus System with speed focus
- Additional Features: Transportation lock, rear light
- Charging Time (mins): 360
- IPX Rating: 4
- In The Box: 1 x iH8R head torch, 1 x set of rechargeable batteries, helmet mount kit, pouch, USB charge cable and i4 Flashlight



Part No.	Qty
778286	1 set

Auto Bulb Dispenser Unit - 12 Volt



- 118 Bulbs
- Contains: 207 (x5), 233 (x5), 239 (x5), 245 (x5), 265 (x5), 380 (x5), 382 (x5), 501 (x5), 504 (x5), 566 (x5), 567 (x5), 581 (x5), 584 (x5), 380W (x5), 382W (x5), 382WA (x5), 433C (x5), 433D (x5), 501A (x5), 921B (x5), 448 (x2), 472 (x5), 499 (x5), 9005 (x2), 9006 (x2), TL224B (x2)

Part No.	Qty
740003	1 Set

Auto Bulb Dispenser Unit - 24 Volt



- 108 Bulbs
- Contains: 149 (x12), 150 (x10), 241 (x10), 246D (x10), 249 (x10), 334 (x10), 346 (x10), 581A (x10), 242 (x5), 433E (x5), 507 (x5), 566A (x5), 466 (x4), 475 (x6), 499A (x6), H11A (x2)

Part No.	Qty
740004	1 Set

Industrial Alkaline Batteries

- Guaranteed performance even in extreme conditions.
- Economical bulk packaging.



Part No.	Pack of	Size	Voltage
275291	10	AAA (LR03 / MN2400)	1.5v
275290	10	AA (LR6 / MN1500)	1.5v
275292	12	C (LR14 / MN1400)	1.5v
275293	12	D (LR20 / MN1300)	1.5v
275294	12	9v (6LR / MN1604)	9v

Alkaline Batteries

- The original copper top battery



Part No.	Pack of	Size	Voltage
275274	40	AAA (LR03 / MN2400)	1.5v
275273	80	AA (LR6 / MN1500)	1.5v
275272	20	C (LR14 / MN1400)	1.5v
275275	10	9v (6LR / MN1604)	9v

Lithium Coin Batteries



THE CONSUMABLES SOLUTION

- For use in vehicle remotes

Part No.	Pack of	Size	Voltage
275234	20	CR2032	3v
275235	100	CR2032	3v
275236	20	CR2025	3v
275237	100	CR2025	3v
275238	20	CR2016	3v
275239	100	CR2016	3v

Coin Battery



THE CONSUMABLES SOLUTION

Part No.	Pack of	Size	Voltage
275105	5	CR1220	3v
275101	5	CR1616	3v
275106	5	CR1620	3v
275102	5	CR2016	3v
275103	5	CR2025	3v
275104	5	CR2032	3v
275116	5	CR2430	3v
275117	4	CR2450	3v

HOSE REPAIR & FIX

ACE 'O' Clips

- White zinc plated mild steel.
Diameter marking on the band.

Uses: Welding pipes. Compressed air hoses.
Agricultural machinery.



Part No.	Qty	Size Ø mm*	Band Width
ACE1319	10	5 - 7 mm	6 mm
ACE1320	10	7 - 9 mm	7 mm
ACE1321	10	9 - 11 mm	7 mm
ACE1322	10	11 - 13 mm	7 mm
ACE1323	10	13 - 15 mm	7.5 mm
ACE1324	10	14 - 17 mm	7.5 mm
ACE1325	10	15 - 18 mm	7.5 mm
ACE1326	10	17 - 20 mm	7.5 mm
ACE1327	10	18 - 21 mm	7.5 mm
ACE1328	10	20 - 23 mm	9 mm
ACE1329	10	22 - 25 mm	9 mm
ACE1330	10	23 - 27 mm	9 mm

O' Clip Pliers

- Plastic coated handles.
- Side closing type



Part No.	Qty
505145	1

CV Boot Kit - Universal

- Fits most cars as well as some 4x4s and light commercial vehicles.
- Fits joinings measuring: Shaft 18-26mm; Joint 56-116mm; Length 58-128mm. Made in the UK.
- Boot comes complete with 2 single ear clips and sachet of grease.



Part No.	Qty	Type	Shaft	Joint	Length
405370	1	Standard Kit	18-26 mm	56-116 mm	58-128 mm
405372	1	Large Kit	27-37 mm	78-130 mm	81-152 mm

ACE CV Boot Clips

Diameter adjustment according to the need.
Amplitudes: Small collar: 20 to 45 mm. Large collar: 45 to 120 mm.

- 100% AISI 304/A2 (18/8) stainless steel.

Uses: Clips are used to secure CV Boots in place



Part No.	Qty	Size Ø mm*	Band Width
ACE4907	100	20 - 45 mm	6.4 mm
ACE4908	100	45 - 120 mm	8mm
ACE4579	1 Pair (1 of each size)	20 - 45 & 45 - 120 mm	

Duragun CV Boot Fitting Tool

- Air Operated.
- Lightweight for easy operation.
- Ideal for quick installation.
- Made in the UK.
- Gun is fitted with a ¼ BSP connector ready for use.



Part No.	Qty
980270	1

CV Boot Clip Snips

For use on stainless steel retaining bands used on car CV boots.

- Designed to reduce the risk of damage to the CV boot rubber.
- Also suitable for use on hose clamps up to 10 mm wide x 0.5 - 0.7 mm thick




Part No.	Qty
940785	1

CV Boot Clip Crimping Pliers

For use on metal ear type clips as used on front wheel drive CV joint boots



Part No.	Qty
940784	1



CV Joint Grease

- Designed for use in modern constant velocity joints found on trucks, vans, & cars.
- The solid additives adhere to metal surfaces where required under pressure, to provide a long life lubricant film



Part No.	Qty	Size
FX081157	6	500 g Tubs

ACE W1 Hose Clip Dispenser Rack - British Type

NEW!

W1

British Type hose clip dispenser rack. Band, housing and screw: white zinc plated mild steel. Worm drive screw.

- Contains 10 of each size: 12 (000), 16 (M00), 20 (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 50 (2A) & 60 (2X).



Part No.	Set of
ACE1830	100

ACE W4 Hose Clip Dispenser Rack - British Type

100% STAINLESS STEEL

W4

British Type Stainless steel hose clip dispenser rack. Band, housing and screw: 100% AISI 304/A2 (18/8) Stainless Steel. Worm drive screw.

- Contains 10 of each size: 12 (000), 16 (M00), 20 (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 50 (2A) & 60 (2X).



Part No.	Set of
ACE4519	100

ACE W1 Hose Clips - British Type

W1

British type hose clips.

- Band, housing and screw: white zinc plated mild steel. No chromium VI treatment. 48 hours in salt spray. Worm drive screw.



Uses: Miscellaneous repairs and assembly, industries, automotive & domestic uses

Part No.	Box of	Size Guide	Size Ø mm*	Band Width
ACE1806	10	12 (000)	9.5 - 12 mm	10 mm
ACE1807	10	16 (M00)	11 - 16 mm	10 mm
ACE1808	10	20 (00)	13 - 20 mm	10 mm
ACE1809	10	22 (0)	16 - 22 mm	12 mm
ACE1810	10	25 (0X)	18 - 25 mm	12 mm
ACE1811	10	30 (1A)	22 - 30 mm	12 mm
ACE1812	10	35 (1)	25 - 35 mm	12 mm
ACE1813	10	40 (1X)	30 - 40 mm	12 mm
ACE1814	10	45 (1M)	32 - 45 mm	12 mm
ACE1815	10	50 (2A)	35 - 50 mm	12 mm
ACE1816	10	55 (2)	40 - 55 mm	12 mm
ACE1817	10	60 (2X)	45 - 60 mm	12 mm
ACE1818	10	70 (3)	55 - 70 mm	12 mm
ACE1819	10	80 (3X)	60 - 80 mm	12 mm
ACE1820	10	90 (4)	70 - 90 mm	12 mm
ACE1821	10	100 (4X)	85 - 100 mm	12 mm
ACE1822	10	5 (120)	90 - 120 mm	12 mm
ACE1823	10	6 (140)	110 - 140 mm	12 mm
ACE1824	10	165 (7)	135 - 165 mm	12 mm

ACE W4 Hose Clips - British Type

100% STAINLESS STEEL

W4

British type stainless steel hose clips.

- Band, housing and screw: 100% AISI 304/A2 (18/8) Stainless Steel. Worm drive screw.



Uses: Demanding, corrosive and humid environments. Industrial, marine, food, chemical, hydrocarbon uses and general industry.

Part No.	Box of	Size Guide	Size Ø mm*	Band Width
ACE4505	10	12 (000)	9.5 - 12 mm	10 mm
ACE4506	10	16 (M00)	11 - 16 mm	10 mm
ACE4507	10	20 (00)	13 - 20 mm	10 mm
ACE4508	10	22 (0)	16 - 22 mm	12 mm
ACE4509	10	27 (0X)	18 - 25 mm	12 mm
ACE4510	10	30 (1A)	22 - 30 mm	12 mm
ACE4511	10	35 (1)	25 - 35 mm	12 mm
ACE4512	10	40 (1X)	30 - 40 mm	12 mm
ACE4513	10	45 (1M)	32 - 45 mm	12 mm
ACE4514	10	50 (2A)	35 - 50 mm	12 mm
ACE4515	10	55 (2)	40 - 55 mm	12 mm
ACE4516	10	60 (2X)	45 - 60 mm	12 mm
ACE4517	10	70 (3)	55 - 70 mm	12 mm
ACE4520	10	80 (3X)	60 - 80 mm	12 mm
ACE4521	10	90 (4)	70 - 90 mm	12 mm
ACE4522	10	100 (4X)	85 - 100 mm	12 mm
ACE4523	10	120 (5)	90 - 120 mm	12 mm
ACE4524	10	140 (6)	110 - 140 mm	12 mm
ACE4525	10	165 (M00)	135 - 165 mm	12 mm



ACE® Hose Clip Driver - 7 mm Flexi Driver

- 280 mm long



Part No.	Qty
505120	1

HOSE REPAIR & FIX

ACE Hose Clip Handipack - W1

W1

Plastic box assortment.

- Band, housing and screw: white zinc plated steel.
48 hours in salt spray.
Worm drive screw.

Sizes: 12 (000), 16 (M00), 22 (0), 27 (0X), 40 (1X)



Part No.	Qty
110184	100

ACE Hose Clip Handipack - W4

100% STAINLESS STEEL W4

Plastic box assortment.

- Band, housing and screw: 100% AISI 304/A2 (18/8)Stainless steel.
Worm drive screw.

Sizes: 12 (000), 16 (M00), 22 (0), 27 (0X), 40 (1X)



Part No.	Qty
110185	60

Heater Hose

- Coolant resistant from -40°C to 100°C



Part No.	Qty	Length	I.D
605070	1	1 m	13 mm (1/2")
605090	1	20 m	13 mm (1/2")
605072	1	1 m	16 mm (5/8")
605091	1	20 m	16 mm (5/8")
605074	1	1 m	19 mm (3/4")
605093	1	20 m	19 mm (3/4")
605077	1	1 m	25 mm (1")

Nylon Tubing - Clear - Braided

- Reinforced PVC



Part No.	Qty	Length	I.D
605096	1	30 m	5 mm (3/16")
605097	1	30 m	6 mm (1/4")
605098	1	30 m	8 mm (5/16")
605099	1	30 m	10 mm (3/8")
605100	1	30 m	13 mm (1/2")
605101	1	30 m	16 mm (5/8")
605102	1	30 m	19 mm (3/4")
605103	1	30 m	25 mm (1")

ACE P-Clips - Rubber Lined

White galvanized steel band. Double thickness at the end: reinforced attachment point.

- Rubber: EPDM
Bandwidths: 12 mm.

Uses: Fixing tubes, pipes, cables and groups of cables.
Protection of surfaces in contact.
Anti-vibration.



Part No.	Qty	Size Ø mm*	Band Width
ACE1769	50	5 mm	12 mm
255311	50	6 mm	12 mm
255312	50	8 mm	12 mm
255313	50	10 mm	12 mm
255314	50	13 mm	12 mm
255315	50	16 mm	12 mm
255316	50	21 mm	12 mm
255317	50	25 mm	12 mm
255318	50	29 mm	12 mm
255319	50	35 mm	12 mm



CHEMICALS

Order Omnicraft Chemicals HIGH QUALITY CHEMICALS AT COMPETITIVE TRADE PRICES

Call now for excellent availability, a reliable and dependable delivery service and great offers.



Part Number	Description
2342081	Brake Fluid DOT 4 0.25Ltr
2342083	Brake Fluid DOT 4 1Ltr
2342085	Brake Fluid DOT 4 High Performance 0.25Ltr
2342087	Brake Fluid DOT 4 High Performance 1Ltr
2168316	Screen Wash - Ready Mix P20 5Ltr

NEW!

VEHICLE HEALTH CHECK



SHADOWBOARD


VEHICLE HEALTH CHECK SHADOWBOARD

NEW!



- Easily identify and store vehicle health checker tools
- Tools include: Tyre depth gauge, brake disc gauge, brake pad gauges, brake fluid tester, battery acid tester, anti-freeze/coolant tester, digital thermometer and VISION compact handlamp with UV torch

Part No.	Qty
940900	1 Empty Board
100430	1 Board complete with tools



PROFESSIONAL TYRE DEPTH GAUGE

- Digital tyre depth gauge with calibration block.
- Metric & imperial measurements : 0 - 1/2" & 0 - 13mm.
- Tempered steel probe and calibration block for resetting to zero. Zero / rest mode.
- Requires a CR2032 Lithium 3V battery (included).
- Part of our MOT health check tools.



Part No.	Qty
940834	1

BRAKE DISC DIGITAL GAUGE

- Digital brake disc calliper gauge measures in metric & imperial.
- Metric & imperial measurements : 0 - 6" & 0 - 150mm. Gauge has a 12mm display.
- The gauge has a LCD "data hold function" which is ideal for mechanics to show customers clearly when their brake discs need replacing.
- Supplied with 2 batteries



Part No.	Qty
940835	1

PEN TYPE BRAKE PAD THICKNESS GAUGE

- Simple gauge to check the life of the brake pads without removing any components.
- Easy to read colour coded scale.
- Gives a quick reference to brake pad conditions.
- Manufactured from lightweight aluminium.
- Part of our MOT health check tools.



Part No.	Qty
940838	1

BRAKE PAD THICKNESS GAUGE

- A handy tool for essential brake pad service.
- Colour coded, using the traffic light system allowing you to quickly check the measurement of remaining brake pad material.
- Sizes : Green 8/10/12mm (SAE 0.3150-0.4720), Yellow 4/5/6m (SAE 0.1575-0.2382), Red 2/3mm (SAE 0.0787-0.1181).



Part No.	Qty
940833	1

BRAKE FLUID TESTER

- Essential tool for testing the percentage of water in brake fluid.
- Colour coded LED's show the level of water within the brake fluid. Requires 1 x AAA battery (included).
- Suitable for Dot 3, Dot 4 & Dot 5.1.
- Not suitable for silicone based Dot 5.
- Part of our MOT health check tools.



Part No.	Qty
940836	1

BATTERY ACID TESTER

- For checking specific gravity of battery fluid



Part No.	Qty
295230	1

ANTI-FREEZE / COOLANT TESTER

- General use
- For testing hot or cold ethylene glycol based automotive anti-freeze & coolant
- Sizes: 12 mm (VW Touan Rear Hubs), 14 mm (VW LT / Transporter Ball Joints), 16 mm Tamper-proof Spline (VW Sharan rear Hubs), 18 mm Tamper-proof Spline (VW Golf Rear Hubs)



Part No.	Qty
895139	1

DIGITAL THERMOMETER


- Digital thermometer for checking air conditioning performance.
- Stainless steel probe : 110 x 3.8mm diameter.
- Measuring range -50°C to +200°C.
- Max/min memory functions
- Magnetic pad for mounting the thermometer.
- Part of our MOT health check tools.



Part No.	Qty
940837	1

VISION SMD COMPACT HAND LAMP & UV TORCH

- LED lamp - 10W 1000 Lumen of super white light. 3W UV torch offering 395 nm.
- Integral belt clip, 360 degrees swivel hook, smart stand with strong magnet with UV torch in the head.
- Comes with micro USB charging lead, USB plug and car adaptor - charging time 6 hours, operating time 3.5 hours on full power.
- Battery - Li-Ion 3.7V/500mAh. Waterproof rating - IP54



Part No.	Qty
EHL301	1

SPILLAGE CONTROL

BRAND NEW

EVO Recycled ABSORBENTS



Sustainable ✓ Low Carbon Footprint ✓ More Cost-Effective ✓

CHOOSE EVO

EVO Recycled® is the solution for companies pursuing higher ethical and environmental standards without compromising performance and value.

EVO is made from 85% sustainable recycled cotton fibres. Recycling material that would otherwise be incinerated or go to landfills.

EVO has the lowest carbon footprint (169.3g) of any absorbent pad on sale in Europe. Traditional melt-blown polypropylene pads have a footprint of 431g.



Developed and manufactured not far from Cambridge University in England.

On average EVO absorbs 20% more than comparable polypropylene absorbents.

EVO is unbeatable value without compromise.

Evo Wood Fibre Absorbent Bags



Fire retardant recycled wood fibre absorbent. For use on industrial spillages and general clean-up duties. The lightweight loose particulate is easy to handle and absorbs liquids quickly and easily.

- Leaves surfaces safe, clean and dry
- Enviro-friendly (recycled material)
- Lightweight product to transport and use
- Fireproof
- Harmless to humans, animals and plants



Part No.	Qty	Size
895292	1 Bag	30 Litres

Evo Absorbent Pads

- Manufactured from 85% recycled natural fibres
- Sustainable
- Higher capacity than comparable polypropylene absorbents
- Greater fluid retention avoids secondary contamination during clean-up
- Fully recyclable packaging
- Ideal for companies seeking to reduce their environmental impact
- Can be used in all sectors of industry to absorb hydraulic oil, engine oil, gear oil, lubricating oil, coolant, fuels and mild acids
- More cost-effective
- Low carbon footprint



Part No.	Qty	Size
865176	50 Pads	500 x 400 mm

OTHER SPILLAGE CONTROL....

Absorbent Pads



- Universal industrial grade absorbent pads.
- 500 x 400 mm

Part No.	Qty	Type	Absorption Capacity
865173	100	Heavyweight	1.0 ltr
865174	200	Lightweight	0.5 ltr

Spillage Control Kits



- Lightweight contains: Socks & pads.
- Heavyweight contains: Socks, pads & cushions

Part No.	Qty	Type	Absorption Capacity
865181	1	Universal Lightweight	30 ltr
865182	1	Oil Lightweight	30 ltr
865183	1	Chemical Lightweight	30 ltr
865160	1	Chemical Heavyweight	50 ltr
865161	1	Oil Heavyweight	50 ltr

VISION

WIRELESS CHARGING

NEW WIRELESS CHARGING RANGE

VISION's lighting range offers versatile and powerful illumination solutions. From spotlights to head torches and work lights, these lights provide exceptional brightness, convenience, and durability. Whether for outdoor adventures, work, or emergencies, VISION lights cater to various needs.



WIRELESS 1000LM COB COMPACT SPOT LIGHT EHLW410

A compact spotlight with wireless charging and adjustable brightness levels for versatile illumination. Ideal for camping, emergencies, or work in dimly lit areas.



PART NO	DESCRIPTION	QTY
EHLW410	Wireless 1000LM COB Compact Spot Light	1
EHLW411	Wireless 1000LM COB Compact Spot Light + Wireless Charging Pad	1

WIRELESS 1000LM COB SLIM INSPECT LAMP EHLW420

Slim inspection lamp featuring COB technology and multiple charging options for versatile use in various environments.



PART NO	DESCRIPTION	QTY
EHLW420	Wireless 1000LM COB Slim Inspect Lamp	1
EHLW421	Wireless 1000LM COB Slim Inspect Lamp + Wireless Charging Pad	1



WIRELESS 900LM LED ADJUSTABLE BEAM TORCH EHLW430

A wireless torch with an adjustable beam, offering flexible charging choices and bright lighting for outdoor activities or emergencies.



PART NO	DESCRIPTION	QTY
EHLW430	Wireless 900LM LED Adjustable Beam Torch	1
EHLW431	Wireless 900LM LED Adjustable Beam Torch + Wireless Charging Pad	1



WIRELESS 1500LM COB WORK LAMP/FLEX LIGHT EHLW440

Versatile lighting with a 15W/1500 lumens COB lamp, three modes, and a 3W LED torch for construction and tasks.



PART NO	DESCRIPTION	QTY
EHLW440	Wireless 1500LM COB Work Lamp/Flex Light	1
EHLW441	Wireless 1500LM COB Work Lamp/Flex Light + Wireless Charging Pad	1



WIRELESS FAST CHARGING PAD EHLW400

A fast-charging pad for two devices, equipped with magnets for easy attachment to metal surfaces and designed for durability.



PART NO	DESCRIPTION	QTY
EHLW400	Wireless Fast Charging Pad	1



VISION

CLASSIC RANGE

VISION's lighting range offers versatile and powerful illumination solutions. From spotlights to head torches and work lights, these lights.



SMD COMPACT HAND LAMP & UV TORCH

EHL301



PART NO	DESCRIPTION	QTY
EHL301	SMD Compact Hand Lamp & UV Torch	1



COB HAND LAMP & CHARGING DOCK

EHL302



PART NO	DESCRIPTION	QTY
EHL302	COB Hand Lamp & Charging Dock	1



COB SLIMLINE INSPECTION LAMP & TORCH

EHL303



PART NO	DESCRIPTION	QTY
EHL303	COB Slimline Inspection Lamp & Torch	1



COB SLIMLINE INSPECTION LAMP/TORCH EHL305



PART NO	DESCRIPTION	QTY
EHL305	COB Slimline Inspection Lamp/Torch	1



350LM LED MOTION SENSOR HEAD TORCH ETL201



PART NO	DESCRIPTION	QTY
ETL201	350lm LED Motion Sensor Head Torch	1



COB HEAVY DUTY WORK LIGHT & POWERBANK EWL102



PART NO	DESCRIPTION	QTY
EWL102	COB Heavy Duty Work Light & Powerbank	1




ZOOM FOCUS LED MINI WORK LIGHT EWL100



PART NO	DESCRIPTION	QTY
EWL100	Zoom Focus LED Mini Work Light	1
EWL101	Magnetic Clip On Base	1



QUICK-LOCK PRODUCTS



ULTIMATE PERFORMANCE

QUICK & EASY

LONG LIFE

The Abracs range of "Quick-Lock" products can be used for cleaning, stripping, polishing and finishing all using the same simple system. Abracs twist on and twist off fitting means that different products can be fitted and removed quickly, safely and easily. This simple but innovative system means less downtime for operators and higher overall productivity.

Quick-Lock Non-Woven Discs

- For polishing and finishing.
- Ideal for hard to reach areas



FOR USE ON: STAINLESS STEEL, PLASTIC, SOFT METAL ALLOY, CARBON STEEL

Part No.	Qty	Diameter	Colour	Type
835641	25	50 mm (2")	Brown	Coarse
835642	25	50 mm (2")	Maroon	Medium
835643	25	50 mm (2")	Green	Fine
835644	25	75 mm (3")	Brown	Coarse
835645	25	75 mm (3")	Maroon	Medium
835646	25	75 mm (3")	Green	Fine

Quick-Lock Poly Discs

- Waterproof. Aluminium oxide grain.
- Perfect for the removal of rust & paint.
- Minimal risk of scratching the material



FOR USE ON: MILD STEEL, SHEET METAL, MILD STEEL, HIGH GRADE STEEL

Part No.	Qty	Diameter	Hole Size
835621	25	50 mm (2")	13 mm
835622	25	75 mm (3")	13 mm

Quick Lock Accessory Pack

- Simple twist-on, twist-off fitting system.
- Can be used for cleaning, stripping, polishing and finishing. Quick, safe and easy fitting. Ideal for use in the automotive industry


Contains: 50mm Backing Pad Adapter x 2, Polirico Discs x 7, 50mm Sanding Discs x9, 50mm Poly Discs x3, Flap Discs x 4



Part No.	Box of
105290	25

Quick-Lock Sanding Discs - Zirconium

- Zirconium grain.
- Ideal for hard to reach areas




FOR USE ON: STAINLESS STEEL, SHEET METAL, MILD STEEL, HIGH GRADE STEEL

Part No.	Qty	Diameter	Grit
835631	25	50 mm (2")	P40
835632	25	50 mm (2")	P60
835633	25	50 mm (2")	P80
835634	25	50 mm (2")	P120
835635	25	75 mm (3")	P40
835636	25	75 mm (3")	P60
835637	25	75 mm (3")	P80
835638	25	75 mm (3")	P120

Quick-Lock Flap Discs - Zirconium

- Zirconium grain.
- Ideal for hard to reach areas.
- Should be used with Quick Lock Backing Pad



FOR USE ON: STAINLESS STEEL, SHEET METAL, MILD STEEL, HIGH GRADE STEEL

Part No.	Qty	Diameter	Grit
835710	25	50 mm (2")	P120
835712	25	50 mm (2")	P80
835714	25	50 mm (2")	P60
835716	25	50 mm (2")	P40

Quick-Lock Backing Pads

- Suitable for use with all Quick-Lock products.
- 6 x 35 mm spindle. Sturdy but flexible rubber



Part No.	Qty	Diameter
895418	10	50 mm (2")
895419	10	75 mm (3")

Emery Rolls

- Industrial quality emery rolls in easy to use packaging.
- Premium quality aluminium oxide grain bonded to strong yet easy to tear J-weight cloth backing



Part No.	Qty	Size	Grit
835130	1	26 mm (1") x 50 m	P60
835128	1	30 mm (1") x 50 m	P60
835137	1 Roll	25 mm (1") x 50 m	P150
835155	1 Roll	25 mm (1") x 50 m	P120
835156	1 Roll	25 mm (1") x 50 m	P80
835157	1 Roll	27 mm (1") x 50 m	P40
835152	1 Roll	28 mm (1") x 50 m	P120
835153	1 Roll	29 mm (1") x 50 m	P80
835154	1 Roll	50 mm (2") x 50 m	P40

Emery Sheets


- Premium quality aluminium oxide grain bonded to strong yet easy to tear J-weight cloth backing



Part No.	Qty	Size	Grit
835138	25	230 x 280 mm (9" x 11")	P150
835158	25	230 x 280 mm (9" x 11")	P120
835159	25	230 x 280 mm (9" x 11")	P80
835139	25	230 x 280 mm (9" x 11")	P60
835160	25	230 x 280 mm (9" x 11")	P40

Scouring Pads - Nylon

- Strengthened fibre.
- Prevents loading



Part No.	Qty	Colour	Finish
895373	10	Red	Medium
895357	10	Green	General
895374	10	Grey	Fine

Flap Discs - Zirconium

- Zirconia abrasive flaps bonded to fibreglass disc.
- Ultimate performance stock removal, blending and finishing.
- Reduced vibration.
- Anti clogging



Part No.	Qty	Diameter	Hole Size	Grit
835203	5	100 mm (4")	16.0 mm	P80
835202	5	100 mm (4")	16.0 mm	P60
835201	5	100 mm (4")	16.0 mm	P40
835206	5	115 mm (4 1/2")	22.0 mm	P80
835205	5	115 mm (4 1/2")	22.0 mm	P60
835204	5	115 mm (4 1/2")	22.0 mm	P40

TAPES...

Foil Tape - For Cold Weather

A soft, conformable aluminium foil which has been approved to class 'O' rating, used widely in the insulation marketplace on foil-faced pipe and slab sections and protects against the effects of fire, dust and moisture


- Excellent in challenging conditions such as low temperatures and humidity applications.
- Soft foil conforms to irregular surfaces. Certified to BS476



Part No.	Qty	Width
896230	1	50 mm (2")

Foam Tape - Double Sided Adhesive

- Black. 10 m rolls.
- For external / automotive use




Part No.	Qty	Width	Colour
895095	5	9 mm (3/8")	Black
895096	2	12 mm (1/2")	Black
895097	2	19 mm (3/4")	Black
895098	2	25 mm (1")	Black
895102	1	50 mm (2")	Black

Masking Tape - General Use

- 50 m rolls

Part No.	Qty	Width
895338	12	25 mm (1")
895336	72	25 mm (1")
895339	6	48 mm (2")
895337	24	48 mm (2")



Masking Tape - High Temperature

White saturated crepe paper tape, coated with a solvent rubber resin adhesive

- 50 m roll. 80°C Temperature resistance.
- Suitable for any painting in building, construction and industrial applications.
- Ideal for automotive bodyshop applications requiring up to 80°C

Part No.	Qty	Width
896250	9	24 mm (1")
896255	5	48 mm (2")





ABRASIVE CUTTING & GRINDING



ULTIMATE
PERFORMANCE

HEAVY
DUTY

LONG
LIFE

Metal Grinding Discs - Proflex - Depressed centre



Part No.	Qty	Diameter	Hole Size	Thickness
835261	10	115 mm (4 1/2")	22.0 mm	6.0 mm
835252	10	125 mm (5")	22.0 mm	6.0 mm
835305	10	230 mm (9")	22.0 mm	6.0 mm

Cutting Discs - Proflex - Extra Thin

- Extended performance.
- Professional quality.
- Manufactured with high quality materials.
- Attractive price performance



Part No.	Qty	Diameter	Hole Size	Thickness
835450	10	100 mm (4")	16.0 mm	1.0 mm
835245	10 In a Tin	115 mm (4 1/2")	22.0 mm	1.0 mm
835451	10	115 mm (4 1/2")	22.0 mm	1.0 mm
835452	10	115 mm (4 1/2")	22.0 mm	1.6 mm
835453	10	125 mm (5")	22.0 mm	1.0 mm
835454	10	125 mm (5")	22.0 mm	1.6 mm
835455	10	230 mm (9")	22.0 mm	1.8 mm

Wire Brush - Twin Pack

- 75 mm
- Pack contains:
1 x 75 mm M14 twist knot cup brush
1 x 75 mm M14 crimp wire cup brush



Part No.	Qty
895713	2

Cup Brushes - Twisted Wire

- 0.35 mm oil hardened steel wire.
- Aggressive stock removal



Part No.	Qty	Diameter	Hole Size	Pitch
895378	1	70 mm	M10	1.5 mm
895379	1	70 mm	M14	2 mm

Cup Brushes - Crimped Wire

- 0.30 mm high resistance crimped steel wire.
- Expert stock removal



Part No.	Qty	Diameter	Hole Size	Pitch
895380	1	70 mm	M10	1.5 mm
895381	1	75 mm	M14	2 mm

Scratch Brushes - Universal

- Brass coated steel wire.
- Ergonomic handle



Part No.	Qty	Type
895176	3	General purpose (Red Handled)



PAINTS & PRIMERS

Hycote branded paint has been manufactured since 1982. Proud to be British, Hycote is one of the leading manufacturers of aerosol and touch-up paints in the UK and Europe. The Hycote brand first developed very high temperature paints for use in motor racing and then quickly extended these to full paint and maintenance ranges. Hycote now offers a vast range of products for both consumer and professional use. Working closely with the trade, independent retailers and consumers, Hycote continuously strive to be the best. With state of the art technical centre researches the latest coating technologies and houses the latest coating test equipment, including accelerated weathering and corrosion testing. This enables us to develop and launch innovative Hycote branded products that deliver professional results with superior coverage, extreme durability, and super-fast drying with no runs or drips.

Automotive Primer

- Enhanced covering power.
- Excellent adhesion to metals and rigid plastics



Part No.	Qty	Size	Colour
865750	6	400 ml Aerosols	Grey
865752	6	400 ml Aerosols	White
865754	6	400 ml Aerosols	Red

Automotive Paint

- Excellent covering power.
- Excellent durability.
- Excellent resistant to colour fade.
- Excellent adhesion to primed surfaces



Part No.	Qty	Size	Colour
865760	6	400 ml Aerosols	Aluminium
865762	6	400 ml Aerosols	Matt Black
865764	6	400 ml Aerosols	Satin Black
865766	6	400 ml Aerosols	Gloss Black
865768	6	400 ml Aerosols	Gloss White

P.P.E...

Dust Masks - General Purpose

- Protects against non toxic substances



Part No.	Qty
895257	50

Toxic Dust Masks

- Protects against solids.
- FFRP2S.
- Filters water based aerosols



Part No.	Qty
895258	20

Safety Goggles

- Grade 1 impact.
- Direct ventilation



Part No.	Qty
895138	1 Pair

Ear Defenders

- Up to 40 dB



Part No.	Qty
895283	1 Pair




OnHand 'Grip Plus' Nitrile Gloves have an all-over textured pattern with outstanding grip properties and are available in orange or black nitrile.




OnHand 'Grip Plus' Orange Nitrile Gloves

Part No.	Qty	Colour	Size
895833	Box of 90	Orange	M
895836	Box of 90	Orange	L
895839	Box of 90	Orange	XL
895842	Box of 90	Orange	XXL



OnHand 'Grip Plus' Black Nitrile Gloves

Part No.	Qty	Colour	Size
895825	Box of 90	Black	M
895826	Box of 90	Black	L
895827	Box of 90	Black	XL
895828	Box of 90	Black	XXL



Polyurethane Adhesive - '1 Minute'

A toughened 1:1 ratio structural adhesive, very fast setting, room temperature cure polyurethane adhesive system

- This sandable adhesive system has an excellent adhesion to a wide variety of surfaces.
- For bonding aluminium, stainless steel, ABS, PVC, polyurethane, composites, thermoplastics, thermosetting plastics, wood, glass, and concrete.

Part No.	Qty	Size
865802	2	50 ml Syringe



Polyurethane Adhesive - '3 Minute'

Is a two component fast setting, room temperature cure structural polyurethane adhesive system

- This sandable adhesive system has an excellent adhesion to a wide variety of surfaces.
- For bonding aluminium, stainless steel, ABS, PVC, polyurethane, composites, thermoplastics, thermosetting plastics, wood, glass, and concrete.

Part No.	Qty	Size
865803	2	50 ml Syringe



Mixer Nozzle

Suitable for 50ml 2 part syringe cartridges

- Suits part No's 865802 & 865803 (G61210 & G61215 FOR FORCE!!)

Part No.	Qty
865805	20



Bondloc Screwlock & Seal

High performance instant adhesive formulated for bonding low energy plastics like PP/PE/PTFE/Delrin, silicone, rubber and elastomeric materials. Can be used in conjunction with DTB Primer for the most challenging applications.

Part No.	Qty	Size
865900	1	10ml



Bondloc Threadlock & Seal

Used in conjunction with the DTB Superglue, developed for "difficult to bond" plastics, thermoplastics, silicone and rubbers. Also used to make polyolefin and other low energy surfaces suitable for bonding.

Part No.	Qty	Size
865904	1	50 ml



Bondloc Stud & Bearing

Wicking grade adhesive formulated to react on contact with the QuickFix Reinforcing Powder to form rigid bonds. The perfect solution for filling holes, chip and crack repairs and bonds to almost anything.

Part No.	Qty	Size
865906	1	50 ml



Bondloc Sleeve & Bush Retainer

Use with the QuickFix adhesive to prepare an area for repairing holes, cracks and defects. Apply the powder to the repair area and apply liberal amounts of QuickFix adhesive. The powder and adhesive will react to form a rigid matrix and can be filled or sanded to the desired shape once cured.

Part No.	Qty	Size
865910	1	10 ml



Bondloc Brake & Airline Sealant

Designed for locking and sealing metal pipes and fittings. Prevents loosening and leakage from shock and vibration. The thixotropic nature reduces the migration of liquid product after application to the substrate. Good chemical/solvent resistance to Ethanol, Motor Oil, Unleaded Petrol and Brake Fluid.

Part No.	Qty	Size
865916	1	50 ml



Bondloc RTV Gasket

High temperature resistance. Forms a tough, flexible gasket/seal that resists ageing, weathering and thermal cycling without hardening. Ideal for oil and transmission pans, differential covers, timing gears and valve covers. Suitable for sealing aluminium and metal ducting, refrigeration applications and hygiene seals.

Part No.	Qty	Size
865948	1	200 ml



Bondloc Steel Epoxy Repair Putty

Steel filled epoxy putty for general maintenance and repairs. For filling, rebuilding and bonding metal surfaces. Can be sanded, drilled and painted once cured. Good resistance to gas, oil, diesel, petrol, water and coolant.

Part No.	Qty	Size
865924	1	50 g



Aluminium Epoxy Repair Putty

Aluminium filled epoxy putty for general maintenance repairs, filling, rebuilding and bonding softer metal surfaces. Can be sanded, drilled, machined and painted once cured. It resists gas, oil, diesel, petrol, water and coolant.

Part No.	Qty	Size
865928	1	50 g



Bondloc 5 Minute Epoxy Resin

High clarity, fast cure, 1:1 ratio epoxy resin suitable for bonding a wide variety of surfaces including steel, aluminium, and plastics. Product reacts within a few minutes to give a tough resilient bond. Formulated to remain clear and not age like basic clear epoxies.

Part No.	Qty	Size
865920	1	25 ml



Bondloc Metal Steel Epoxy

Steel filled epoxy resin used for filling, rebuilding and bonding metal surfaces or concrete. For general maintenance, repairs, worn or fatigued metals, patch castings, making of jigs and fixtures, rebuilds pump and valve bodies, restores bearing journals and races.

Part No.	Qty	Size
865922	1	25 ml



Bondloc Plastic Weld

Ultra high strength, 1:1 ratio toughened plastic adhesive. For bonding various types of plastics, dissimilar substrates as well as unprepared metals, ceramics and standard thermoset plastics, CRP & GRP. Excellent strength and fixture times.

Part No.	Qty	Size
865930	1	25 ml



Bondloc Metal Weld

Ultra high strength, metallic coloured, 1:1 ratio toughened metal adhesive. For bonding various types of metals with a special blend of resins and adhesion promoters to ensure high strength bonds on metals and some thermoset plastics.

Part No.	Qty	Size
865932	1	25 ml



Bondloc Mixer Nozzles

Part No.	Qty
865950	10



Bondloc DTB Primer

Used in conjunction with the DTB Superglue, developed for "difficult to bond" plastics, thermoplastics, silicone and rubbers. Also used to make polyolefin and other low energy surfaces suitable for bonding.

Part No.	Qty	Size
865935	1	18 ml



Bondloc Black Reinforcing Powder

Use with the QuickFix adhesive to prepare an area for repairing holes, cracks and defects. Apply the powder to the repair area and apply liberal amounts of QuickFix adhesive. The powder and adhesive will react to form a rigid matrix and can be filled or sanded to the desired shape once cured.

Part No.	Qty	Size
865945	1	15 g



Bondloc DTB Super Glue

High performance instant adhesive formulated for bonding low energy plastics like PP/PE/PTFE/Delrin, silicone, rubber and elastomeric materials. Can be used in conjunction with DTB Primer for the most challenging applications.

Part No.	Qty	Size
865938	1	20 g



Bondloc Quick Fix Adhesive

Wicking grade adhesive formulated to react on contact with the QuickFix Reinforcing Powder to form rigid bonds. The perfect solution for filling holes, chip and crack repairs and bonds to almost anything.

Part No.	Qty	Size
865942	1	25 g



Bondloc Superglue Gel

A non-drip gel designed for difficult to bond materials which require uniform stress distribution and strong tension/shear strength. Ideal for vertical or overhead applications.

Part No.	Qty	Size
865940	1	20 g



EV RELATED ITEMS

ERGTOOLS

VDE SOCKETS

VDE 1/2" Dr SOCKET SET

- Set Contents - 1/2" Dr ratchet, 1/2" Dr T-handle, 1/2" Dr 125mm extension bar, 1/2" Dr sockets - 10, 12, 13, 14, 17, 19, 22 & 24mm.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Manufactured according to EN60900:2004

Part No.	Qty
RG10500	11 pc set



VDE 3/8" Dr SOCKET SET

- Set Contents - 3/8" Dr ratchet, 3/8" Dr 100mm extension bar, 3/8" Dr sockets - 8, 10, 12, 13, 14, 17 & 19mm.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Manufactured according to EN60900:2004

Part No.	Qty
RG10502	9 pc set



VDE 1/2" Dr SOCKET RAIL SET

- Set Contents - 1/2" Dr sockets - 2 x 10, 11, 12, 2 x 13, 14, 16, 17 & 19mm.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Manufactured according to EN60900:2004

Part No.	Qty
RG10506	10 pc set



VDE 3/8" Dr SOCKET RAIL SET

- Set Contents - 3/8" Dr sockets - 2 x 10, 11, 12, 2 x 13, 14, 15, 17 & 19mm.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Manufactured according to EN60900:2004

Part No.	Qty
RG10504	10 pc set



EV Insulated Gloves

- Fully insulated electrical safety glove.
- Latex material offers excellent electrical resistance.
- Class 0 rated for 1000v.
- Standards - EN60903, PPE CAT III 0333
- Overall length 36cm



Part No.	Qty	Size
896865	1	Medium
896866	1	Large
896867	1	Extra Large

EV Arc Flash Face Shield - Lightweight

- Lightweight design with a flip front protector.
- 1.5mm visor thickness offers protection against short circuit electric arcs.
- Visor comes with anti-fog acetate coating.
- Adjustable headband gives a comfortable & secure fit.
- Conforms to : EN166:2001 1 AT 8 9



Part No.	Qty
896861	1

EV Insulated Rubber Mat

- Electrical insulated rubber matting.
- Essential for ensuring the safety of technicians whilst working on electric & hybrid vehicles.
- Manufactured to IEC61111
- Class 0 international standards
- Offers protection up to 1,000 volts.
- Size : 1m x 1m.



Part No.	Qty
896816	1

EV Safety Boots


- Protective boot with fibreglass toecap & composite anti-penetration flexi-midsole.
- Complete with scuff cap & shock absorbing dual density EVA nitrile rubber outsole.
- Upper material water repellent full grain black nubuck with breathable mesh panels.
- Certified to withstand electrical risks of 18KV in accordance with the ASTM F2412-18 test method.



Part No.	Qty	Size
896875	1	Size 8
896876	1	Size 9
896877	1	Size 10
896878	1	Size 11
896879	1	Size 12

Rescue Safety Pole


- Electrically insulated rescue hook & pole.
- Designed to safely remove victims of electric shock from danger.
- Conforms to NF EN50508 & CEI61235-S.
- Rated to 45,000V.
- Length 145cm.



Part No.	Qty
896815	1

Safety Chain


- Safety chain designed it cordon off the working area around the car.
- Also designed as a multifunctional barrier.
- High visibility for easy identification.
- To be fitted to matching colour posts.
- Chain 6mm x 25m length with a breaking strain of 60kg (Approx)



Part No.	Qty
896810	1

Chain Support post


- Support posts to house the safety chains around the vehicles.
- Also designed as a multifunctional barrier.
- High visibility for easy identification.
- Posts have two spring clips to clip the chain over.
- Height of post 90cm, diameter 4.5cm, weight 0.38kg



Part No.	Qty
896811	1

Chain Support Base

- Heavy duty base which securely holds the post & chains in position.
- Designed only to house our posts.
- Due to size offer less floor space when set up improving access.
- Made from recycled PVC.
- Base dimensions - Diameter 34.5cm, height 8.4cm, Weight 3Kg (Approx).



Part No.	Qty
896812	1

VISION

SMD FLEXIBLE MAGNETIC HAND LAMP/TORCH

EHL300

Get ready to experience the ultimate lighting companion with the VISION SMD Flexible Magnetic Hand Lamp/Torch! This powerful and versatile tool is packed with exciting features that will revolutionise the way you illuminate your workspace.

With 6x 0.5W High Power SMD LED lamps, this hand lamp provides an astonishing 3W/400 lumens of cool white light, ensuring brilliant visibility for any task. But that's not all – it also comes with a 1W LED torch, perfect for when you need a focused beam of light for precision work.

Never worry about running out of power again! The hand lamp/torch includes a USB charging plug and car adapter, making it easy to recharge on the go.

Featuring not one, but two integrated rotating hooks, this lamp/torch can be positioned at multiple angles, providing you with unparalleled flexibility in directing the light. Plus, with two rear magnets and a flexible magnetic base, you can position the lamp/torch with precision and accuracy, keeping your hands free to focus on the job at hand.

Choose your style with the available colour options: Black/Blue, Black/Red, Hi-Vis Yellow or Hi-Vis Orange. No matter which colour you choose, you'll have a reliable and powerful lighting tool by your side for any task.

From professional tradespeople to outdoor

enthusiasts, the VISION SMD Flexible Magnetic Hand Lamp/Torch is the must-have lighting solution for everyone. Its impressive brightness, versatile features, and sturdy design make it the perfect companion for all your lighting needs. Illuminate your world with confidence and precision with this exciting hand lamp/torch!



PART NO	DESCRIPTION	QTY
EHL300LY	Hi-Vis Yellow SMD Flexible Magnetic Hand Lamp/Torch	1
EHL300LR	Hi-Vis Orange SMD Flexible Magnetic Hand Lamp/Torch	1
EHL300B	Black/Blue SMD Flexible Magnetic Hand Lamp/Torch	1
EHL300R	Black/Red SMD Flexible Magnetic Hand Lamp/Torch	1

TYRE CARE

Snap-in valve

- Snap-In valves for passenger cars.
- Rim Hole: 11.3 mm.
- Pressure: Max. 4.5 bar



Part No.	Qty	ETRTO. No.	TR no.	Length	Rim Thickness
2122413	100	V2.03.1	413	43 mm	1,8 - 4 mm
2122414	100	V2.03.2	414	49 mm	1,8 - 4 mm
2122396	100	V2.03.4	418	61.5 mm	1,8 - 4 mm

Valve Van Snap-In Transit HP AV

Valves for difficult applications and high standards. Utilization: commercial vehicle, mobile homes

- Length: 43 mm



Part No.	Qty	TR No.	Rim Hole	Pressure
2126655	10	600	11.5 mm	Max.5.5 Bar

Valve van snap-in Transit HP AV

Valves for difficult applications and high standards. Utilization: commercial vehicle, mobile homes

- Length: 43 mm



Part No.	Qty	TR No.	Rim Hole	Pressure
2126421	10	600	11.5 mm	Max.5.5 Bar

Valve Van Snap-In Transit HP AV

Valves for difficult applications and high standards. Utilization: commercial vehicle, mobile homes.


- Length: 43 mm



Part No.	Qty	TR No.	Rim Hole	Pressure
2122464	10	600	11.3 mm	Max. 7 Bar

Adhesive Balance Weight - Steel

- Steel. 4x5g + 4x10g Segments



Part No.	Qty	Size	Weight	Colour
5656050	100	19 x 4 mm	60 g	Chrome
5656095	100	19 x 4 mm	60 g	Grey
5656102	50	15 x 4.8 mm	60 g	Black
5656151	50	15 x 4.8 mm	60 g	Chrome
5656200	100		60 g	Black
5656207	50		60 g	Black
5654468	1	Removal Tool		


Valve Car Clamp-In Metal - 42MS

- Installation torque: 4-6 nm. Utilization: For highly stressed wheels of fast cars, transporters, vehicles with high tire pressure and high temperature.
- Length: 42 mm



Part No.	Qty	ETRTO No.	Rim Hole	Pressure
5622658	5	V0.07.3	11.3 mm	Max. 14 Bar

Truck Valve Extension - Flexible



Part No.	Qty	Length
2126564	5	105 mm
2126571	5	140 mm
2126578	5	180 mm
2126585	5	210 mm

MOTORCYCLE VALVES...

Snap-In Motorcycle Valve

- Snap-In valves for passenger cars/ motorbikes.
- ETRTO no: V2-03-6.
- TR no: 412



Part No.	Qty	Rim hole	Pressure	Length
2126442	10	11.3 mm	Max. 4.5 Bar	33 mm

Snap-In Motorcycle Valve - Angled



Part No.	Qty	Rim Hole	Pressure	Length	Bend
5622713	10	11.5 mm	Max. 4.5 Bar	33 mm	90°

Clamp-In Motorcycle Valve - Angled

All motorcycle valves have a sealed cap and a special valve core. That makes them reliable and safe. Note: Always use a valve core with increased opening pressure for replacement.



Part No.	Qty	Rim Hole	Pressure	Bend Angle	Colour
5629820	5	8.3 mm	Max. 14 Bar	90°	Black
5629834	5	11.3 mm	Max. 14 Bar	90°	Black

Clamp-In Motorcycle Valve



Part No.	Qty	Rim Hole	Pressure	Length
5622603	5	8.3 mm	Max. 14 Bar	34 mm

Valve extension motorcycle

- Rigid extensions Bent metal type.
- Bend angle: 45°



Part No.	Qty	Installation Torque
5624299	5	0,3±0,5 Nm

Motorcycle Valve Extension - 90°

- Rigid extensions Bent metal type.
- Bend angle: 90°



Part No.	Qty	Michelin No.	Installation Torque
5624292	5	1197	0,3±0,5 Nm

CEMENTS & SEALER...

SVS-VULC

- Free of CHC/aromatic compounds.
- For the vulcanisation of tube patches, valve patches, fabric-reinforced valve patches and rubber base valves (hot vulcanisation)



Part No.	Qty	Size
5059056	1	10 g Tube
5059197	1	175g can w/ brush top

CEMENT SC-BL

- Accelerator solution for the application of REMA TIP TOP RAD, PN and UP repair patches, MINICOMBI, REMA STEM, SVbonding rubber, SEALASTIC, VULC COMPOUND.
- SPECIAL CEMENT BL can be used for self-vulcanisation starting from 18 °C (65 °F) through to hot vulcanisation up to 150 °C (300 °F)



Part No.	Qty	Size
5159365	1	200 g Tin

CEMENT FD-BL

- This accelerator solution dries twice as fast as CEMENT SC-BL
- Especially suitable for fast and smaller repairs such as to tread-area punctures and for one-step repairs with REMA TIP TOP RAD, PN and UP repair patches
- Can be used for self-vulcanisation from 18 °C (65 °F) through to hot vulcanization at 150 °C (300 °F)
- Transparent and easy to distinguish from the blue CEMENT SC-BL if used in the same way



Part No.	Qty	Size
5159570	1	175 g

INNERLINER SEALER - Brush Top Can

- Free of CHC/aromatic compounds.
- Sealing porous innerliners and edges of repair areas.
- Coating excessively buffed repair areas on the tyre inside



Part No.	Qty	Size
5159028	1	175 g Tin

MOUNTING PASTE...

REMAXX MONT 2000

- For all standard mounting applications to car and truck tyres.
- Cost-effective for big order quantities



Part No.	Qty	Size
5931851	1	5 kg Bucket

Bead paste

- Tip Top Black Bead Paste may be used for mounting and demounting all types and sizes of tyres.
- Due to its colour, it leaves no visible residue on the tyre after mounting.



Part No.	Qty	Size	Colour
5930546	1	5 kg Bucket	White
5930044	1	5 kg Bucket	Black

Mounting Paste Brush

- The thickness of the brush and the hardness of the bristles have a determining influence on the quality and economy of the coat of cement in the skive, on the inner liner and on the patch



Part No.	Qty	Type
5930625	1	Car

MARKERS...

Crayon Marker - Waterproof

- Multi-purpose



Part No.	Qty	Colour
405356	3	Yellow
405357	3	White

Marker Crayon - All Surface

- Multi-purpose



Part No.	Qty	Colour
895110	3	Yellow

French Chalk Sticks



Part No.	Qty	Colour
405358	144	White

TYRE CARE

REPAIR...

Minicomb Repair Plugs


MINICOMBI repair plugs seal the tyre inside and the puncture channel in one operation. The ingress of moisture, dirt, stones or all materials that lead to premature deterioration of the casing and belts is prevented. Finishing the repair process, the tyre can immediately be put back into operation



Part No.	Qty	Size	Metal Pilot
5111964	50	A3 P	YES
5113058	40	A6 P	YES
5113106	20	B8 P	YES
5113144	20	B10 P	YES
5113216	40	A4, 5 P	YES

Euro Tube Patches - Black Edge

- REMA TIP TOP tube patches with single layer edge ensure perfect bonding and 100% vulcanisation.
- Due to the stepped multi-layer structure of the patch body they stretch evenly in all directions when the tube is inflated. They leave no edges on the repair area



Part No.	Qty	Size	Euro
5038046	200	Ø 35 mm	Euro No.1
5038053	100	Ø 45 mm	Euro No.2
5038060	100	Ø 54 mm	Euro No.3
5038084	50	Ø 75 mm	Euro No.4
5038101	20	Ø 94 mm	Euro No.5

Tube Patches - Red Edge

- REMA TIP TOP tube patches with double-scalloped edge ensure perfect bonding and 100% vulcanisation.
- Due to the stepped multi-layer structure of the patch body they stretch evenly in all directions when the tube is inflated



Stitcher - Standard Corrugated

- For smooth application of repair patches or rubber




Part No.	Qty	Width
5961027	1	4 mm

Part No.	Qty	Size
5000012	100	Ø 16 mm
5000036	100	Ø 30 mm
5000043	30	Ø 35 mm
5000050	30	Ø 45 mm
5000067	30	Ø 54 mm
5000081	30	Ø 75 mm
5000108	10	Ø 94 mm
5000122	10	Ø 116 mm
5000263	10	150 Lx 75 W mm

Tyre fill

- A flexible, rapid curing two part repair system. The product is dispensed using the true mix cartridge system to guarantee proper mixing and ease of use.
- Tyre Fill is ideal for repairs to conveyors, tyres, bumpers and other heavy duty rubbers



Part No.	Qty	Description
5172000	1	Tyre Fill
5172014	10	Tyre Fill spare nozzle
5172007	1	Tyre Fill applicator gun

BUFFING...

Solvent Liquid Buffer

- Free of CFC and aromatic compounds.
- For quick and easy cleaning and buffing of tubes.
- For chemical cleaning before mechanical buffing



Part No.	Qty	Size
5059692	1	500 ml Spray
5059702	1	1000 ml Can

Mill cutter carbide


- For precise injury preparation on radial and cross-ply tyres.
- Special profile adapted to steel cord preparation allows professional grinding out of the injury.
- Long service life.
- All HM cutters are packed individually in a robust plastic box



Part No.	Qty	Di-ame-ter	Length	Blade Length	Speed
5111925	1	6 mm	90 mm	40 mm	max. 2500

Brush wire rotary twisted strands

- Limestones for buffing soft rubber grades such as inner liners.
- Max. speed 4500 rpm



Part No.	Qty	Diameter	Speed (RPM)
5950083	1	38 mm	Max. 4500

SEALFIX & SEALASTIC...

SEALFIX Workshop Kit

- SEALFIX strings for temporary repairs of tread punctures.
- We recommend demounting the tyre from the rim in order to determine the actual damage size.
- Observe local rules and guidelines for the repair of tyres.
- Permanent repairs should be performed from the inside of the tyre, for example with MINICOMBI. For safety reasons, we also warn you not to carry out a sidewall repair with SEALFIX. Please use it with SPECIAL CEMENT SC-BL.
- Scope of delivery: 25 Strings, 1 Hand rasp, 1 Inserting tool, 1 Special cement SC-BL 40g can, 1 Chalk, 1 Knife & 1 Instruction manual



Part No.	Qty
5101832	1

SEALFIX String

- SEALFIX strings for temporary repairs of tread punctures.
- We recommend demounting the tyre from the rim in order to determine the actual damage size.
- Observe local rules and guidelines for the repair of tyres.
- Permanent repairs should be performed from the inside of the tyre, for example with MINICOMBI.
- For safety reasons, we also warn you not to carry out a sidewall repair with SEALFIX. Please use it with SPECIAL CEMENT SC-BL



Part No.	Qty	Type	Colour
5101801	50	Short Type	Brown
5101808	25	Long Type	Brown
5101815	50	Thin	Black
5101839	25	Long Type, Thick	Black

SEALASTIC TT612 Plugs EM

- Temporary nail hole repair for cross-ply truck tyres mounted on the rim (max. injury size 8 mm) as well as EM and agricultural tyres (max. injury size 15 mm).
- Also suitable for tubeless radial EM tyres (up to a maximum speed of 40 km/h, if the "carbide mill cutter, pointed" is used).
- For larger injuries, use the corresponding REMA TIP TOP repair patches according to the relevant repair chart. * Instructions for RUN-FLAT, MINICOMBI, SEALASTIC, SUPER SEALASTIC, REMA SEAL and SEALFIX: Follow the guidelines and legal regulations of your country when using the product(s)



Part No.	Qty
5102161	20

SEALASTIC Insert Tool EM

- For precise injury preparation



Part No.	Qty	Blade Length
5102233	1	230 mm

SEALASTIC Hand Rasp EM

- For precise injury preparation



Part No.	Qty	Diameter	Blade Length
5958944	1	6 mm	190 mm

TOOLS...

Insert tool side load heavy duty

- Heavy duty



Part No.	Qty	Length
5102457	1	200 mm

Remacure inserting tool

- For precise injury preparation. Blade length: 3"



Part No.	Qty
5102336	1

Remacure spiral awl

- For precise injury preparation. Blade length: 4"



Part No.	Qty	Diameter
5102343	1	6 mm

Rasp pistol grip


- For precise injury preparation. Blade length: 4"



Part No.	Qty	Diameter
5102381	1	6 mm

T-handle chrome + allen key shank

- For precise injury preparation



Part No.	Qty	Diameter
5100021	1	6 mm



NEW WIRELESS CHARGING RANGE BROCHURE

VISION has been creating an advanced portable battery-powered lighting range for over ten years and has a strong reputation for providing industry-leading light units that are tough, powerful, reliable and stylish. Now with our brand new Wireless Charging Range!

Order your FREE physical copy now

Are you EV Ready?

In an ever changing automotive industry where more and more Electric Vehicles are being sold it is important that we are ready to deal with the roll-out, maintenance and safety of BEV's. To help with this we're pleased to introduce our new Electric Vehicle Consumables range. This booklet contains a brief guide to electrical operations on EV's in various scenarios with tables to advise on product needed during this work. Order your FREE physical copy now!



Disposable Glove Guide

Our new disposable glove guide breaks down the best of our top gloves with lots of information and specifications, all in one handy new brochure so you can make the best choice for your needs. Order your FREE physical copy now!



FIXT Professional Valeting Range

A full range of chemicals to maintain and protect cars, commercial vehicles & agricultural machinery. The collection includes interior shampoos, cleaners, dressings, exterior bodywork, glass, tyre and much more! Order your FREE physical copy now!



For more information please contact your local PartsPlus Centre.

Images are for illustration purposes only. All information and images correct at time of printing (6th November 2023)

PartsPlus is an unlimited liability company registered in England and Wales: No.3853720, Registered Office: Arterial Road, Laindon, Essex, England, SG15 6EE.

Follow us

